

ZERIOS SE-10

PROTECTIVE COATING



CORROSION PROTECTION

Zerios SE-10 is a dark colored, high melting point, asphaltic coating designed to provide long term corrosion protection of metal surfaces in storage both indoor and outdoor. Zerios SE-10 is applied as a solution in a volatile solvent. Zerios SE-10 Grade can be applied by dipping the parts to be protected in a vat or spraying the parts to be protected with air sprayers, pump type sprayers or by pouring the product over the parts.

Recommended Product Applications

Recommended applications for Zerios SE-10 include, but are not limited to, the following:

- Storage
- Shipping
- During Operation

Application Guidelines


Zerios SE-10 can be applied by dipping or spraying with air sprayers, pump type sprayers or by pouring the product directly over the parts.

Surface Preparation

Surfaces should be clean, dry, and free of rust, oil, and mil scale. Optimum application temperature is between 50°F. – 95°F.

Removal

Removal of protective films is accomplished by using a steam cleaner or washing the parts in mineral spirits.



Product Description

Zerios SE-10 is a dark colored, high melting point, asphaltic coating designed to provide long term corrosion protection of metal surfaces in storage both indoor and outdoor.

Zerios SE-10 is applied as a solution in a volatile solvent. The residual film, after solvent evaporation, is highly resistant to salt water and salt spray. Zerios SE-10 is supplied ready to use.

This material is not regulated for shipment in pails or drums.



Physical Properties

Category	Details
<i>Appearance</i>	Thick, dark black liquid
<i>Odor</i>	Solvent Odor
<i>Specific Gravity</i>	1.01 – 1.06
<i>Flash Point (minimum)</i>	108° F
<i>Low Temperature Flexibility</i> -29° C (-20°F)	Excellent

Availability

Zerios SE-10 is available in the following quantities:
5 gallon pail, 55 gallon drums and bulk quantities.

Part No.: Zerios[®] SE-10 350-F-00013PL Pail
Zerios SS-10 350-M-00040PL Pail